

**CORRIGENDUM # 1****RATE CONTRACT FOR SUPPLY OF HDPE  
CASING PIPE****TENDER DOCUMENT NO. IGL/ND/C&P/CP14544**

Date: 12.12.207

VCS Ref No. VCS/NOIDA/C&amp;P/13823/12-R0

Project:RATE CONTRACT FOR SUPPLY OF  
HDPE CASING PIPE

Owner: INDRAPRASTHA GAS LTD

Sr. No.	Description	Tender Page No.	Clause/ Para/ Section	Amendment/Addition/Modification/Deletion	
1	Diameter 125mm to 400mm	5 of 18 of Vol II of II	Cl. No. 1.1 : Sl. No. 2 to 5	Modification	Minimum length of each pipe shall be 12.0 mtr. However length of 6.0 mtr. may also be considered as per requirement of IGL.
2	Density	12 of 18 of Vol II of II	Cl. No. 6.5	Modification	The specified base density shall be between 940.0 kg/m <sup>3</sup> and 958.4 kg/m <sup>3</sup> (both inclusive) when determined at 27 °C according to procedure prescribed in Annex. A of IS-7328 : 1992. The value of the density shall also not differ from the nominal value by more than 3.0 kg/m <sup>3</sup> as per 5.2.1.1 of IS-7328 : 1992.
3	Melt Flow Rate (MFR)	12 of 18 of Vol II of II	Cl. No. 6.6	Modification	The MFR of the material shall be between 0.20 g / 10 min and 1.10 g / 10 min (both inclusive) when tested at 190 °C with nominal load of 5.0 kgf as determined by method prescribed in 7 of IS-2530 : 1963. The MFR of the material shall also be within ±20 percent of the value declared by the manufacturer.